


# VÖRULISTI - TJAKKAR

Model	Description	Photo for refer
<p><b>T20 Standard</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>            manual lifting/lowering            electric/manual driving            2.0Ton capacity            0.75kw AC brushless motor            48V10Ah Battery            48V3A charger            Fork Size: 540*1150mm or 680*1220mm</p>	
<p><b>T20i Standard</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>            electric/manual lifting, manual lowering,            electric/manual driving            2.0ton capacity            0.75kw AC brushless motor            0.65kw lifting motor            48V15Ah Battery            48V5A charger            Fork Size: 540*1150mm or 680*1220mm</p>	
<p><b>T20i-s With Scale</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>            electric/manual lifting, manual lowering,            electric/manual driving            2.0ton capacity            0.75kw AC brushless motor            0.65kw lifting motor            48V15Ah Battery            48V5A charger            Fork Size: 540*1150mm or 680*1220mm  <b>With Scale and I touch system</b></p>	

<p><b>T20i-G Galvanized</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>  electric/manual lifting, manual lowering,  electric/manual driving  2.0ton capacity  0.75kw AC brushless motor  0.65kw lifting motor  48V15Ah Battery  48V5A charger  Fork Size: 540*1150mm or 680*1220mm  <b>Galvanized</b></p>	
<p><b>T20i-SL Stainless</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>  electric/manual lifting, manual lowering,  electric/manual driving  2.0ton capacity  0.75kw AC brushless motor  0.65kw lifting motor  48V15Ah Battery  48V5A charger  Fork Size: 540*1150mm or 680*1220mm  <b>Stainless</b></p>	
<p><b>T20i-F</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>  electric/manual lifting, manual lowering,  electric/manual driving  2.0ton capacity  0.75kw AC brushless motor  0.65kw lifting motor  48V15Ah Battery  48V5A charger  Fork Size: 540*1150mm or 680*1220mm  <b>Cold storage</b></p>	
<p><b>T20i-L</b></p>	<p><b>2.0T Li-ion battery pallet truck</b>  electric/manual lifting, manual lowering,  electric/manual driving  2.0ton capacity  0.75kw AC brushless motor  0.65kw lifting motor  48V15Ah Battery  48V5A charger  Fork Size: 540*1150mm or 680*1220mm  <b>Low profile 65mm</b></p>	<p><input checked="" type="checkbox"/> <b>Low profile</b></p> 

Spare Battery	61-500-100-20--48V15Ah (T20i)		
	61-500-300-10--48V20Ah (T20i)		
	61-501-100-10--48V10Ah (T20)		
Optional	1-touch Screen(2.5 inch screen, digital display)		
Additional cost of Different Length of Forks	Less than 1150mm		
	Between 1220 and 1500	standard	
		galvanized	
		stainless	
	1800mm、 2000mm、 2400mm	standard	
		galvanized	
stainless			

**T20i Standard er með margar mismunandi útfærslur**

**T20i-s er með tölvuvog með 4 loadcellum, eins og hefðbundnar gaffalvogir.**

**Kaup á T20i-s eru tveir fyrir einn. Brettatjakkur og gaffalvog. Eiginlega þrír fyrir einn, því að T20i má nota bæði sem rafmagns tjakk og handtjakk.**

**ATH: T20i-touch er með innbyggða vog fyrir áætlaða þyngd, sem ekki er nákvæm.**

**T20i-G er galvaniseraður og T20i-SL er úr ryðfríu stáli.**

**T20i-F er sérhannaður fyrir vinnu í kæligeymslum.**

**T20-L fyrir lægri bretti.**

**T20i-touch er T20i með i-touch aukabúnaði, sem er stafrænt lyklaborð sbr. lýsing á tjökkum í Vöruflokkum.**

**Einnig bjóðum við lakkaða, galvaniseraða og ryðfría gaffla í mismunandi lengdum.**

**Leytaðu tilboða hjá okkur í þann tjakk, sem hentar þér best.**


**Við gefum gjarnan góð tilboð miðað við sérpantanir á tjökkum, sem við eigum ekki til á lager.**

# VÖRULISTI - STAFLARAR


Model	Description	PHOTO
<b>TS15i</b>		
<p><b>TS15i</b></p>	<p>1.5T walkied fork over type hybrid pallet stacker            48/30Ah Iron lithium battery            48V/5A charger  <b>1.6m simplex mast</b>            0.75KW drive motor            1.2KW lifting motor            1150 x 560 mm fork            Tandem PU loading wheels            Electric/manual driving + electric lifting+ electric lowering</p>	
<p><b>TS15i</b></p>	<p>1.5T walkied fork over type hybrid pallet stacker            48/30Ah Iron lithium battery            48V/5A charger  <b>2.5m duplex mast</b>            0.75KW drive motor            1.2KW lifting motor            1150 x 560 mm fork            Tandem PU loading wheels            Electric/manual driving + electric lifting+ electric lowering</p>	
<p><b>TS15i</b></p>	<p>1.5T walkied fork over type hybrid pallet stacker            48/30Ah Iron lithium battery            48V/5A charger  <b>3.0m duplex mast</b>            0.75KW drive motor            1.2KW lifting motor            1150 x 560 mm fork            Tandem PU loading wheels            Electric/manual driving + electric lifting+ electric lowering</p>	

<p><b>TS15i</b></p>	<p>1.5T walkied fork over type hybrid pallet stacker          48/30Ah Iron lithium battery          48V/5A charger  <b>3.3m duplex mast</b>          0.75KW drive motor          1.2KW lifting motor          1150 x 560 mm fork          Tandem PU loading wheels          Electric/manual driving + electric lifting+ electric lowering</p>	
---------------------	---	---

**Option**

	<p><b>1-touch Screen</b></p>	
<p><b>Spare Battery</b></p>	<p><b>12-500-200-10--48V30Ah (TS15i)</b></p>	
<p><b>Handle assembly with</b></p>	<p><b>12-300-320-10 (TS15i) with I touch</b></p>	
	<p><b>12-300-300-20 (TS15i)</b></p>	

# VÖRULISTI - LYFTARAR

No.	Model	Description	photo
<b>Electric forklift with lithium battery ( IC engine forklift chassis + mast + other parts the same as IC forklift )</b>			
1	<b>FB20P</b>	2.0t Lithium battery Powered forklift,with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
2	<b>FB25P</b>	2.5t Lithium battery Powered forklift, with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
3	<b>FB30P</b>	3.0t Lithium battery Powered forklift, with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
4	<b>FB35P</b>	3.5t Lithium battery Powered forklift, with lithium battery 80V205Ah, with 80V65A charger,AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
<b>Option for battery + charger</b>	<b>Extra price added on 80V205A lithium battery</b>	80V230Ah lithium battery (Working round 3-4 hours)	
		80V410Ah lithium battery (Working round 5-6 hours)	
		80V460Ah lithium battery (Working round 6-8 hours)	
	<b>Extra price added on 80V65A charger</b>	80V100A charger (fast charging)	
		80V200A charger (fast charging)	

<b>others</b>	<b>Model</b>	
	<b>Trplex with full free lift mast 4500mm</b>	
	<b>Trplex with full free lift mast 4800mm</b>	
	<b>Cascade Side Shifter with 3rd valve and 3rd</b>	
	<b>Cascade Fork Positioner with side shifter function including 3rd and 4th valve, lever</b>	
	<b>Black Solid tyre</b>	
	<b>No-marking white solid tire</b>	
	<b>Blue LED light</b>	
	<b>Extended fork / each 10cm</b>	
	<b>Additional valve and pipeline</b>	
	<b>Cabin standard</b>	
	<b>OPS system</b>	
	<b>Suspension seat</b>	
	<b>Reversing Camera + display</b>	